

# CIT i Lä®

THE WINDSCREEN THAT RISES ABOVE THE AVERAGE



2017.36 (eng)

## MAKE BETTER USE OF YOUR OUTDOOR AREA

With Cit i Lä® you have the option of an open veranda when the weather is nice and sunny. Just raise up the adjustable screens when you need protection from harsh weather and cold winds. The terrace screen system is designed to make it easy and flexible to use and can be raised and lowered with a simple grip.

Cit i Lä® is also available as a fixed railing and with fixed overhead glass for a completely glassed-in patio. For the best comfort, combine the installation with a roof or awning.

Open sun terrace or glassed-in patio? With [CIT i Lä®](#) you can have both.

## 10 great reasons for becoming an owner of Cit i Lå®

### 1. **Adjustability – wind protection in a second**

An adjustable wind screen that offers protection from the elements within a second. This railing system is created with the purpose of being easily manoeuvred and is lowered and raised with fingertip control. At times when the weather changes quickly, the railing can be adjusted to create a cosy atmosphere.

### 2. **The view – preserve your view with Cit i Lå®**

Keep the view. Cit i Lå® solve the issue of preserving the view while at the same time providing a stylish wind protection.

### 3. **Tailor-made – buy a terrace screen that suits your patio**

With Cit i Lå®, you can choose the width, height and what attachments to use. No more left over pieces or the need to change the measurements of the existing patio. It is easy to align your Cit i Lå® if the foundation changes. For example, if the patio slopes.

### 4. **Easy access – a door with a view**

Close your terrace access point with a robust door that matches your height adjustable screens. With a door your terrace is complete – secure and quiet and still with a view.

### 5. **Colours – you decide**

With the help of colour, you can choose to either have the units blending in with the surroundings or to have it standing out. Frosted foil, patterned film or grey glass is also available as an option.

### 6. **Easy installation – do it yourself or let our professional distributor do it for you**

These units suits both the DIY and the “I would rather hire a craftsman”. The units usually do not require any building permit and it has low installation costs. Get rid of the hassles with application for building permits and enjoy your new glassed-in patio, the summer is short.

### 7. **Image and added value – an installation that rises above average**

Why not stand out in the neighbourhood with an exclusive roof installation? Or perhaps an adjustable glass railing for the outdoor swimming pool? Cit i Lå® is a unique quality product that gives you the opportunity to create a luxurious and exclusive atmosphere in your outdoor environment – an installation that simply rises above average.

### 8. **Robust – when the cold wind blows you can trust your Cit i Lå®**

A robust and firm construction with the possibility to lower it in harsh weather conditions. The installation can take extreme winds when fully lowered and there is no need to remove it. You can have confidence in your Cit i Lå®

### 9. **Maintenance free surface – an installation that doesn't require any re-painting**

You do not have to spend any time or money, re-painting the installation. Your Cit i Lå® units are easily cleaned with water when necessary.

### 10. **Safety - Svalson has solid product development with substantial quality tests**

The construction of the railing prevents children and pets from leaving the patio through gaps that might occur in traditional railings. It's even designed to minimise the risk of children climbing over. You can feel safe with an installation from Svalson, we care about the safety and the quality. Cit i Lå® is tested for wind load, personal safety including heavy impacts by the SP - Technical Research Institute of Sweden.

Cit i Lå® is also CE marked according to EN 1090 and thereby approved for installation on balconies and terraces where there is a risk of falls and injuries.





## Technical information

WIDTH	Maximum width 2200* mm per section. *Note that the maximum width can be affected based on the conditions of wind load in the area and the installation height.
HEIGHT	Standard heights*: <ul style="list-style-type: none"> <li>• 800/1300 mm (lowered/raised position)</li> <li>• 900/1500 mm</li> <li>• 1000/1700 mm</li> <li>• 1100/1900 mm</li> <li>• 1200/2100 mm (maximum width 2000 mm)</li> </ul> *Above ground level, a minimum height of 1100 mm might be required.
THICKNESS	90 mm
GLASS/BOARD	5 mm laminated glass in the moving part and 6 mm laminated glass in the lower fixed part as standard. Frosted or patterned foil, grey glass or other materials is available as an option.
SURFACE COATING	Satin anodized aluminium is standard. Available as an option is powder coated in white, black or any standard RAL colour.
INSTALLATION	There are several types of feet for installation. There are also several connectors for corner and wall attachment. All connectors and feet are made of stainless steel.
OPTIONS	Interval locking at optional height. Lock with key for lowered and/or raised position.
MANUFACTURED BY	Svalson AB, Sverige
APPROVALS	The Cit i Lä® is fully approved to EN 12600.

Visit [www.svalson.com](http://www.svalson.com) for more information.

# CIT i Lä®

THE WINDSCREEN THAT RISES ABOVE THE AVERAGE



Cit i Lä® with polished glass edges and counterweight in glass.

